

THUNG HING INDUSTRIAL TRADING SDN BHD



# COLOUR CHART





# WHY CHOOSE US?

With the rapid growth of Thung Hing's market share in the 4 core segment areas, we constantly reinvest in our steel fabrication plants nationwide to increase productivity efficiency, product quality enhancement; as well as new product research and development. Thung Hing's products



---

## OUR WORKS

We let our quality work and commitment to customer satisfaction be our slogan.

### DELIVERING EXCELLENCE, BUILDING SOLUTIONS.

Founded in 1983, Thung Hing established itself as a fore runner of high quality steel products manufacturing, particularly building materials for the construction industry. Our ISO 9001 certified factories in Rawang Industrial area, Malaysia, manufactures products to meet the demands of our clients from all over the world.

# COLOUR SELECTION CHART METAL ROOFING & WALLING SYSTEM

## Colorbond®



C1. AUTUMN RED (SRI:40)



C2. ALMOND BEIGE (SRI:68)



C3. BEIGE (SRI:54)



C4. LAZURITE BLUE (SRI:29)



C5. OFF WHITE (SRI:82)



C6. GUN METAL GREY (SRI:28)



C7. VOLCANIC GREY (SRI:31)



C8. ARMOUR GREY (SRI:48)



C9. GULL GREY (SRI:68)



C10. GRAPHITE MATT /  
\*IRON MATT (SRI:26)



C11. ECLIPSE MATT /  
\*GRANITE MATT (SRI:18)

\*Matt finishes in AZ200 coating mass.

## PRIMA® M A J U



M1. PRIMA ARONA



M2. PRIMA CENDARA



M3. PRIMA MUARA



M4. PRIMA AWANA



M5. PRIMA MAGNET



M6. PRIMA KEKABU

## Primero



P1. SEMARAK (SM)



P2. TELANG (TL)



P3. KABUS (KB)



P4. MENDUNG (MD)



P5. LADA PUTIH (LP)

## VERMOE®



V1. THUNDER GREY














V2. DAZZLING BLACK



V3. ALLURING BROWN

# TECHNICAL SERVICE CHART

Roof & Wall Profile	TH® Crimp Curve	TH® Half Round	TH® Cliplock Optima 730	TH® Deck 762	TH® Clip Lock 710
Effective width (mm)	762	762	730	762	710
Rib height (mm)	25	25	40	25	39
Min roof Slope	3°	3°	1°	3°	1°
Total Coated Thickness (mm)	0.30 0.35 0.40 0.47	0.30 0.35 0.40 0.47	0.47	0.20 0.23 0.35 0.40 0.47	0.47
Finishing	  			  	

Roof & Wall Profile	TH® Step	TH® RIB 30	TH® Superior Rib 35	TH® Uroll Bond	TH® Spandex
Effective width (mm)	762	750	760	762	740
Rib height (mm)	25	30	35	25	20
Min roof Slope	10°	2°	2°	6°	4°
Total Coated Thickness (mm)	0.30 0.35 0.40 0.47	0.40 0.47	0.35 0.40 0.47	0.30 0.35 0.40 0.47	0.47
Finishing			  	 	



Design Flexibility



Durability



Hi-tech Production



Colour Choice



Thermal Efficiency



Environment Friendly



Warranty



东兴工业贸易有限公司

THUNG HING INDUSTRIAL TRADING SDN BHD 199301010165

Lot P.T. 1353, Jalan Mohd Taib, Kaw. Industriarian Sg. Choh, 48000 Rawang, Selangor Darul Ehsan, Malaysia.  
Tel : +603-6099 9999 / 9988 | Fax: +603-6099 9922 / 9933 | www.thunghing.com.my



All Rights Reserved.