


Product
Catalogue

GUTTER SERIES

TH FEATURED GUTTER & TH UPVC GUTTER G300






Founded in 1983, Thung Hing established itself as a fore runner of high quality steel products manufacturing, particularly building materials for the construction industry. Our ISO 9001 certified factories in Rawang Industrial area, Malaysia, manufactures products to meet the demands of our clients from all over the world.

From the humble beginnings of fixing residential roof gutters 20 years ago, passion and hard work have equipped Mr. Lee with skills and expertise in the metal works trade, not to mention earning him a steady customer base who seek the craftsmanship and superior quality that became synonymous with the Thung Hing name. Having grown the company industrially and strategically to date, Mr Lee's ambition and innovations continue to drive new product categories, value-added services and international quality assurance. This commitment to every customer will continue to write the Thung Hing legacy.

Our Journey








TH FEATURED® GUTTER

RESIDENTIAL & COMMERCIAL GUTTER

Whether you're renovating a classic house or searching for a distinctive look for a new home, add the perfect finishing touch to your **TH-Featured® Gutter** roof with our extensive range of rainwater goods. **TH-featured® Gutter** goods provide the perfect finishing touch.

Our rainwater goods are manufactured from **Zincalume®** steel with Clean **Colorbond®** pre-painted steel available, so they'll stand up to years of the harshest Malaysia climate.





**10 YEARS
WARRANTY**

*Terms and conditions apply

INSTALLATION DETAILS

These downpipes and accessories are compatible with the **TH-Featured® Gutter** system. Most downpipes and accessories are available in ZINCALUMER steel and a range of **Primamaju™** steel, **Clean Colorbond®** steel colours to match or contrast with your roof.



Brackets spacing

When the gutters are attached to **TH-Fascia Board®**, then the gutter bracket spacing should mirror the spacing of the fascia brackets (600mm or 1200mm), and the gutter brackets should be adjacent to the fascia brackets.

COLOUR CHART

Colorbond®



PRIMA® MAJU



*Term and Conditions Applied Note:
All colour shown above are close to the actual Thung Hing Featured gutter colour as the limitations of the printing process may affect the actual colour tone.

DOWNPIPES

These downpipes and accessories are compatible with the **TH-Featured® Gutter** system. Most downpipes and accessories are available in ZINCALUMER steel and a range of **Primamaju™** steel, **Clean Colorbond®** steel colours to match or contrast with your roof.





Rectangular or Square
available size (mm):
100 x 50 | 120 x 75
140 x 75 | 100 x 100




Round
available size (mm): Ø
75 | 100 | 125 | 150

FASCIA BOARD

TH-Fascia Board® is attractive and easy to install. It is strong, lightweight and can be used as a complete system.



INDUSTRY GUTTER




Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl


FLASHING & CAPPING

We supply flashings and cappings standard or custom made. The finish can be plain **ZINCALUME®** steel or **Clean COLORBOND®** steel.


Plastering wall flashing




Party Wall Capping



Diamond-cut Wall Flashing




Valley Gutter



TH UPVC GUTTER G300

DURABLE & COST EFFECTIVE - THE RAIN GUTTERS SYSTEM

The unique design of the **TH UPVC Gutter G300** is able to complement any contemporary lifestyle design. With this exclusive layout, the external / internal brackets and outlets can be placed anywhere along the length of the gutter. A comprehensive range of **TH UPVC Gutter G300** and accessories are manufactured to the same high standards. **TH UPVC Gutter G300** range is designed to suit wide application and with its aesthetically superior outlook, most buildings can benefit from it.



**5 YEARS
WARRANTY**

*Terms and conditions apply

APPLICATION

TH UPVC Gutter Systems are recommended for building applications, and are specifically designed for contemporary houses and condominiums.

ADVANTAGES

- Durable and Lightweight
- Corrosion and UV Resistant
- Double Wall System at the base
- Hopper outlet with Higher Flowrate
- High Flow Capacity with 18,388 mm²
- Anti-Dripping System to Prevent Leaking
- Wall thickness 10% thicker than conventional pvc gutter
- Designed to accommodate extensive thermal movement

TH PVC GUTTER G300 CAPACITY


Area	Required No of Outlet
75m ²	1 no
150m ²	2 nos
225m ²	3 nos
300m ²	4 nos
375m ²	5 nos
* Rainfall intensity based on 325mm/hour and calculated on size and dimension of TH PVC Gutter G300 model	

Gutter bracket spacing recommended is 600mm center to center

TH PVC GUTTER PROFILE


1. More flexibility with P-Shape front return
2. Grooved profile to enable horizontal movement after locking into internal bracket
3. Higher capacity 18,388mm²

Wall thickness 10% thicker than conventional




EXPANSION OUTLET

1. Hooper outlet, draining up to 10L/S no leaking
2. With anti dripping baffle design
3. Suitable for round and rectangular down pipe



EASY TO INSTALL



COLOUR CHART



*Term and Conditions Applied Note:
All colour shown above are close to the actual
Thung Hing Featured gutter colour as the limitations of
the printing process may affect the actual colour tone.

CENTRAL REGION

SELANGOR DARUL EHSAN :

No 7, Jalan Platinum 3, Presint 2, Bandar Industri Bernilai Tinggi Serendah, 48200 Serendah, Selangor.

Tel : +603-6128 2837/ 2873

Serai Harmoni Sdn Bhd (1053281-W)

No 9, Jalan Platinum 3, Presint 2, Bandar Industri Bernilai Tinggi Serendah, 48200 Serendah, Selangor.

Tel : +60-6128 2834 / 2843

NORTHERN REGION

KEDAH DARUL AMAN :

No. E2, Jalan Cendana 4/5, Kaw. Perindustrian Cendana, 08000 Sungai Petani, Kedah Darul Aman, Malaysia.

Tel : +604-430 0321(HL) +604-430 4335 / 4568 **Fax :** +604-430 4393 / 4348 / 4849 **H/P :** +6012-381 9218

PERAK DARUL RIDZUAN :

170 , Hala Perusahaan Menglembu 1, Kawasan Prindustrian Menglembu, 31450 Ipoh Perak Darul Ridzuan, Malaysia.

Tel : +605-282 1844 **Fax :** +605-2820 844 **H/P :** +6017-360 1218

EAST COAST EAST MALAYSIA

KELANTAN DARUL NAIM :

Lot 1493, Kaw. Perindustrian Pengkalan Chepa II, Seksyen 44, Mukim Panchor, Daerah Kemumin, 16100 Kota Bharu, Kelantan Darul Naim, Malaysia.

Tel : +609-774 1127 / 1128 **Fax :** +609-774 1130 / 1131 **H/P :** +012-200 6335

TERENGGANU DARUL IMAN :

17446, Kawasan Perindustrian Wakaf Tapai, 21040 Marang. Terengganu Darul Iman, Malaysia.

Tel : +609-638 1216 **Fax :** +609-638 1219

PAHANG DARUL MAKMUR

No, 1 & 3, Jalan Industri 3/5, Taman Perindustrian Temerloh, 28400 mentakab, Pahang

H/P: 017-8749389

SOUTHERN REGION

JOHOR DARUL TAKZIM :

Lot 4452, Pt. Kampung Abdul Rahman, 82200 Benut, Pontian, Johor Darul Takzim, Malaysia.

Tel : +607-690 9926 / 9929 **Fax :** +607-690 9928 **H/P :** +019-278 8788

EAST MALAYSIA

SABAH :

Lot No 19, Jalan 3 KKIP Timur, Industrial Zone 12, KKIP Telipok, 88460 Kota Kinabalu, Sabah, Malaysia.

Tel : +608-840 8919 **H/P :** +6019-280 6218

SARAWAK :

Lot 1259, Jalan Jentera, Bintawa Industrial Estate, 93450 Kuching, Sarawak, Malaysia.

Tel : +6013-445 5456




CERTIFIED TO ISO 9001:2015
CERT. NO. : QMS 01884



CERTIFIED TO ISO 9001:2015
CERT. NO. : QMS 01884



CERTIFIED TO ISO 9001:2015
CERT. NO. : QMS 01884



THUNG HING GROUP

W : www.thunghing.com.my

E : enquiries@thunghing.com

f : [Thung Hing group](https://www.facebook.com/ThungHingGroup)

@ : [thunghing.group](https://www.instagram.com/thunghing.group)

d : [thunghing.group](https://www.youtube.com/channel/UC...)

The information and illustration contained herein are for guidance only. Care has been taken to ensure all data and information herein is factual and numerical values are accurate at the time of publication. However, any or all technical specification, information and dimensions are nominal and provisional; they are subjected to change and variations in accordance with market conditions at the date of factual supply. No representation is made or to be implied as to the data and information herein; THUNG HING GROUP. and its subsidiary and associate companies shall not be responsible for any errors in or misrepresentation of the information contained in this brochure or its use. THUNG HING GROUP. and its subsidiary and associate companies reserve the right to alter any or all specifications as deemed fit and necessary without prior notice.
Copyright © 2024 THUNG HING GROUP. All Rights Reserved.